

GENEL KATALOG

**“ akışkan teknolojilerinde
akılcı çözümler ... “**



“ daha yaşanabilir bir dünya için çalışıyoruz ... “

▶ DOZAJ POMPALARI

DİJİTAL




- 0.36 l/h up to 13 l/h
- up to 16 bar
- Wall and floor mounting
- Analogue Control
- Level input
- Stroke frequency adjustable

MEKANİK



- 4 l/h up to 1020 l/h
- up to 16 bar
- adjustable from 0 -100
- Digital Control (op.)
- ATEX zones 1 and 2
- Mechanical Diaphragm

HİDROLİK



- 2.8 l/h up to 3740 l/h
- up to 40 bar
- accuracy of $\pm 1\%$
- Actua Control (op.)
- Heavy-duty Design
- Hydraulic Diaphragm

▶ AKSESUARLAR

PULS SÖNÜMLEYİCİLER



- Up to 100 bar
- PVC,PP, PVDF or SS
- Tube or Diaphragm Type
- FKM, EPDM or PTFE
- ATEX Protection (Op.)

BASINÇ EMNİYET VANALARI



- Up to 100 bar
- PVC,PP, PVDF or SS
- Mechanical Diaphragm
- FKM, EPDM or PTFE
- Socket, Coupling, Theraded Connection

BASINÇ YÜKLEME VANALARI



- Up to 100 bar
- PVC,PP, PVDF or SS
- Mechanical Diaphragm
- FKM, EPDM or PTFE
- Socket, Coupling, Theraded Connection

KALİBRASYON SİLİNDİRLERİ



- 100 ml up to 20.0000 ml
- PVC, Plexiglass body
- PVC or PTFE cap
- 1/2" up to 2" Connection
- Glass body (Op.)

STATİK MİKSERLER



- 1/2" up to 2" Connection
- PVC, Plexiglass body
- Glass body (Op.)
- PVC or SS Mixer Elements
- Up to 100 bar

FİLTRELER



- 1/2" up to 2" Connection
- PVC, PP, SS body
- 5 mesh up to 100 mesh
- Falanged, Socket, Theraded Connection
- Up to 10 bar

► ANALİZ CİHAZLARI

Ph / ORP / İLETKENLİK



- pH, ORP, Conductivity
- DO, AKM, Turbidity
- Online Analyz
- High sensitivity
- Heavy-Duty Desing
- ATEX Protection (Op.)

FOTOMETRELER



- Graphic display
- 2 % FS
- Acid and solvent resistant touch-sensitive keypad with acoustic signal
- Industrial water treatment
- Drinking water treatment

AKIŞ ÖLÇERLER



- 1 m3/h up to 2000 M3/h
- Elektro-magnetic, Coriolis, Ultrasonic.
- High sensitivity
- Flanged or Theraded Connection
- Accuracy of $\pm 0,3$

GAZ ÖLÇÜM ANALİZÖRLERİ



- Chlorine, H2S, CO2
- Alarm Output
- Online Analyz
- High sensitivity
- Heavy-Duty Desing
- ATEX Protection (Op.)

ÖLÇÜM SENSÖRLERİ



- pH, ORP, Conductivity
- DO, AKM, Turbidity
- Sensor Holders
- High sensitivity
- Heavy-Duty Desing
- ATEX Protection (Op.)

ROTAMETRELER



- 50 l/h up to 10000 l/h
- up to 16 bar
- accuracy of $\pm 0,5$
- Transparent Body
- PVC or SS Connecetion
- Flow Contact (Op.)

► KİMYASAL TANKLARI

PLASTİK TANKLAR



- 50 lt up to 20.000 lt
- LDPE, PVC, PP, HDPE
- Vertical or Horizontal
- Flat or Conical Base
- Chemical Storage

METAL TANKLAR



- 100 lt up to 10.000 lt
- Carbon Steel, SS
- Vertical or Horizontal
- Certified welded
- ASME, DIN, EN norms
- NDT Controls

KARIŞTIRICILAR



- 0.09 kW up to 5 kW
- PVC, PP, PTFE, SS
- Electric, pneumatic motor
- 70 rpm up to 900 rpm
- ATEX Protection (Op.)
- Heavy-duty Design

GAZ KLOR TESİSLERİ

DEZEN-FEKSİYON SİSTEMLERİ / YERİNDE KURULUMLAR



- Gas Chlorine Dosage
- Residual Control
- Full Automatic
- For Drinking Water Plant
- Data Recording Capability



ÇELİK İMALAT & BORULAMA

ÇELİK KONSTRÜKSİYON / YERİNDE KURULUMLAR



- Carbon Steel, SS, HDPE, PVC piping
- Certified welded
- Metal Platform, Stairs, Railing, Steel Building
- Machine, Pump installation
- Tank, Reactor manufacturing and installation





KİMYASAL DOZAJ SİSTEMLERİ

PAKET TESİSLER / YERİNDE KURULUMLAR



- SS, PVC, PP, HDPE or Carbon Steel Base Frame
- 6 bar up to 400 bar
- 1 lt/h up to 5000 lt/h
- ATEX Protection (Op.)
- Heavy-duty Design
- Local or Remote Control
- Corrosive Acidic, Alkaline Chemicals





Fintek Mühendislik ve Akışkan Teknolojileri Ltd. Şti.

Yenişehir Mah. Osmanlı Bulvarı Sümül Sok. Ekinci Residence No.8/2/405, 34912 Pendik / İstanbul

+90 534 359 54 52 – info@fintekmuhendislik.com

www.fintekmuhendislik.com



FİNTEK
MÜHENDİSLİK VE AKIŞKAN
TEKNOLOJİLERİ LTD. ŞTİ.